



rotary operating mechanism, actuating lever black, for four-hole Front mounting, accessory for main and emergency switching-off switch 3LD2 for 63A - 125A and for molded case switch 3LD UL for 30A

Model		
product brand name		SENTRON
product designation		Rotary operators
design of the product		accessories for 3LD2 main and EMERGENCY-STOP switches
degree of protection NEMA rating		1, 3R, 4X, 12
suitability for use switch disconnecter		Yes
suitability for use circuit breaker		No
suitability for use EMERGENCY OFF switch		No
color		black
• of the actuating element		black
• Product component with axis		No
• product component restart inhibit function block		No
• product component padlock locking mechanism		No
• product component key lock		No
accessories		
hasp thickness of the bracket locks		4 ... 8 mm
Approvals Certificates		
General Product Approval	other	Environment

[Confirmation](#)





[Confirmation](#)

[Miscellaneous](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information	
Information on the packaging	
https://support.industry.siemens.com/cs/ww/en/view/109813875	
Information- and Downloadcenter (Catalogs, Brochures,...)	
http://www.siemens.com/lowvoltage/catalogs	
Industry Mall (Online ordering system)	
https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9284-1B	
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)	
https://support.industry.siemens.com/cs/ww/en/ps/3LD9284-1B	
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)	
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9284-1B	
CAx-Online-Generator	
http://www.siemens.com/cax	
Tender specifications	
http://www.siemens.com/specifications	



last modified:

6/18/2023 

