



Door-coupling rotary operating mechanism standard with tolerance compensation  
Size 100x 100, Shaft 10x 10, 300 mm, I-0-II, Complete unit Handle size 140 mm  
Accessory for 3KC0 size 4

| Model                                                                          |  |                                         |       |
|--------------------------------------------------------------------------------|--|-----------------------------------------|-------|
| product brand name                                                             |  | SETRON                                  |       |
| product designation                                                            |  | Door mounted rotary operator            |       |
| design of the product                                                          |  | standard with tolerance compensation    |       |
| design of handle                                                               |  | Gray                                    |       |
| design of the door lock system                                                 |  | Door interlocking                       |       |
| size of cross-section of the shaft of door-coupling rotary operating mechanism |  | 10x10 mm                                |       |
| size format of the masking frame of door-coupling rotary operating mechanism   |  | 100x 100 mm                             |       |
| length of handle                                                               |  | 140 mm                                  |       |
| length of shaft of door-coupling rotary operating mechanism                    |  | 300 mm                                  |       |
| protection class IP                                                            |  | IP65                                    |       |
| suitability for use                                                            |  | 3KC0 MTSE, 3KD size 1 and 2, 3KF size 1 |       |
| Product details                                                                |  |                                         |       |
| product description                                                            |  | size 100x100 mm, shaft 8 x8 mm          |       |
| product feature interlock                                                      |  | Yes                                     |       |
| product component                                                              |  |                                         |       |
| • extension shaft                                                              |  | Yes                                     |       |
| • handle for emergency-OFF function                                            |  | No                                      |       |
| product feature lockable                                                       |  | Yes                                     |       |
| display version for switch position indicator                                  |  | I-0-II                                  |       |
| Mechanical Design                                                              |  |                                         |       |
| height                                                                         |  | 144 mm                                  |       |
| width                                                                          |  | 98 mm                                   |       |
| depth                                                                          |  | 450 mm                                  |       |
| net weight                                                                     |  | 910 g                                   |       |
| Approvals Certificates                                                         |  |                                         |       |
| General Product Approval                                                       |  | Marine / Shipping                       | other |



[Confirmation](#)

[Miscellaneous](#)

Environment

[Environmental Con-  
firmations](#)

#### Further information

##### Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

##### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

##### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1151-3AE21>

##### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8UD1151-3AE21>

##### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8UD1151-3AE21](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1151-3AE21)

##### CAX-Online-Generator

<http://www.siemens.com/cax>

##### Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/29/2022 

