



rot. operator, selector switch red/yellow, for four-hole/ front mounting, for 25 A and 32 A, accessories for 3LD2 main control and EMERG.-OFF switch

| Model                                              |                                                       |
|----------------------------------------------------|-------------------------------------------------------|
| product brand name                                 | SETRON                                                |
| product designation                                | Rotary operators                                      |
| design of the product                              | accessories for 3LD2 main and EMERGENCY-STOP switches |
| degree of protection NEMA rating                   | 1, 3R, 4X, 12                                         |
| suitability for use switch disconnecter            | Yes                                                   |
| suitability for use circuit breaker                | No                                                    |
| suitability for use EMERGENCY OFF switch           | No                                                    |
| color                                              | black                                                 |
| • of the actuating element                         | black                                                 |
| • Product component with axis                      | No                                                    |
| • product component restart inhibit function block | No                                                    |
| • product component padlock locking mechanism      | No                                                    |
| • product component key lock                       | No                                                    |

| accessories                         |            |
|-------------------------------------|------------|
| hasp thickness of the bracket locks | 4 ... 8 mm |

| Approvals Certificates   |       |             |
|--------------------------|-------|-------------|
| General Product Approval | other | Environment |

[Confirmation](#)



[Confirmation](#)



[Miscellaneous](#)

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)

| Further information |
|---------------------|
|---------------------|

Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>  
Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>  
Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9224-3B>  
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3LD9224-3B>  
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3LD9224-3B](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9224-3B)  
CAx-Online-Generator  
<http://www.siemens.com/cax>  
Tender specifications  
<http://www.siemens.com/specifications>



last modified:

6/18/2023 

