

Door-coupling rotary operating mechanism standard with tolerance compensation
Size 100x 100, Shaft 12x 12, 300 mm, Test-0-I, Complete unit Handle 200 mm
Accessory for 3KD size 5, 3KF size 5





Approvals Certificates

General Product Approval					Test Certificates
	 EG-Konf.	 UL	 VDE		Type Test Certificates/Test Report

Marine / Shipping	other		Environment
 LRS	Confirmation	Miscellaneous	Environmental Confirmations

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8UD1161-4AF21>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/8UD1161-4AF21>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UD1161-4AF21
CAx-Online-Generator
<http://www.siemens.com/cax>
Tender specifications
<http://www.siemens.com/specifications>



last modified:

12/20/2020 

