## SIEMENS

## Data sheet

## 6GK1901-1BB30-0AB0

product type designation product description



IE FC RJ45 Plug 145 (2x2) RJ45 data connector

Industrial Ethernet FastConnect RJ45 plug 145 2x 2, RJ45 plug-in connector (10/100 Mbit/s) with rugged metal enclosure and FC connection system, for IE FC TP cable 2x 2; 145° cable outlet 1 pack = 10 units.

suitability for use

transfer rate

For connection to IE FC TP cables 2x2, suitable for fast assembly with the FastConnect system

transfer rate	
transfer rate / for Industrial Ethernet	10 Mbit/s, 100 Mbit/s
interfaces	
number of electrical connections	
<ul> <li>for Industrial Ethernet FC TP cables</li> </ul>	4
<ul> <li>for network components or terminal equipment</li> </ul>	1
type of electrical connection	
<ul> <li>for Industrial Ethernet FC TP cables</li> </ul>	integrated cut-and-clamp contacts for 4-wire TP FC installation cable AWG22
<ul> <li>for network components or terminal equipment</li> </ul>	RJ45 connector
type of electrical connection / FastConnect	Yes
mechanical data	
material / of the enclosure	metal
number of reuses	10
locking mechanism design	other
design, dimensions and weights	
type of cable outlet	145° cable outlet
width	13.9 mm
height	16 mm
depth	55.6 mm
net weight	35 g
connectable cable cross-section	6.5 6.5 mm
connectable conductor cross-section	0.33 mm <sup>2</sup>
ambient conditions	
ambient temperature	
during operation	-40 +85 °C
during storage	-40 +85 °C
during transport	-40 +85 °C
relative humidity	
<ul> <li>at 25 °C / without condensation / during operation / maximum</li> </ul>	95 %
protection class IP	IP20
product features, product functions, product components / general	
product feature	
<ul> <li>PoE capability</li> </ul>	Yes
<ul> <li>PoE+capability</li> </ul>	Yes
• silicon-free	Yes

product component	
product component <ul> <li>strain relief</li> </ul>	Yes
standards, specifications, approvals	
certificate of suitability	
RoHS conformity	Yes
• UL approval	Yes
cULus approval	Yes
	No
railway application in accordance with EN 50155	Cat5
standard for structured cabling reference code	Cais
	YCA
according to IEC 81346-2:2019	XGA
standards, specifications, approvals / Environmental Product De	
Environmental Product Declaration	Yes
global warming potential [CO2 eq]	
• total	0.277 kg
during manufacturing	0.263 kg
<ul> <li>during operation</li> </ul>	0.0086 kg
after end of life	0.0062 kg
further information / internet links	
internet link	
<ul> <li>to website: Selection guide for cables and connectors</li> </ul>	https://support.industry.siemens.com/cs/ww/en/view/109766358
<ul> <li>to web page: selection aid TIA Selection Tool</li> </ul>	https://www.siemens.com/tstcloud
<ul> <li>to website: Industrial communication</li> </ul>	https://www.siemens.com/simatic-net
<ul> <li>to web page: SiePortal</li> </ul>	https://sieportal.siemens.com
<ul> <li>to website: Image database</li> </ul>	https://www.automation.siemens.com/bilddb
<ul> <li>to website: CAx-Download-Manager</li> </ul>	https://www.siemens.com/cax
<ul> <li>to website: Industry Online Support</li> </ul>	https://support.industry.siemens.com
security information	
	that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)
Approvals / Certificates	
General Product Approval	Marine / Shipping
Declaration of Con- formity	Miscellaneous
Marine / Shipping Environment	Industrial Communication
Confirmation EPD	<u>PROFINET</u>
last modified:	12/9/2024 🖸